

Interference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	816	(187/266,404).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/17 19:12
L2	1806	(187/251,264,266,406,404).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/17 19:16
L3	515	L2 and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3) near4 (member carrier cable flat belt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/17 19:17
L4	6	("3066761").URPN.	USPAT	OR	ON	2008/12/17 19:45
L5	6	("12640").URPN.	USPAT	OR	ON	2008/12/17 19:53
L6	0	("361263").URPN.	USPAT	OR	ON	2008/12/17 19:58
L7	0	("495114").URPN.	USPAT	OR	ON	2008/12/17 20:01
L8	12	L2 and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3) near4 (means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:31
L9	3	8 not (3 4 5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/17 20:32
L10	0	(elevator and (driv\$3 tracti\$2 machine) adj (pulley sheave wheel friction\$2 roll\$3 rotat\$4) and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3) near4 (member means carrier cable flat belt) and (rib\$4 groov\$3) near6 (wedge\$1 wedge\$7 trapez\$5) and area near8 (cross\$1section\$2 section\$2 cut\$1away cut) and (one\$1fourth fourth "25%" percent\$3)) and (pulley sheave wheel friction\$2 rotat\$4 roll\$3) near4 (groov\$3) and (car\$1 cage basket carriage) near8 ((support\$3 suspen\$4 hoist\$3 divert\$3 guid\$3 deflect\$3) adj (pulley roll\$3 wheel rotat\$4)).clm.	US-PGPUB	OR	ON	2008/12/17 20:45
L11	0	(elevator and (driv\$3 tracti\$2 machine) adj (pulley sheave wheel friction\$2 roll\$3 rotat\$4) and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3) near4 (member means carrier cable flat belt) and (rib\$4 groov\$3) near6 (wedge\$1 wedge\$7 trapez\$5) and area near8 ((cross\$1section\$2 section\$2 cut\$1away cut) and (one\$1fourth fourth "25%" percent\$3)) and (pulley sheave wheel friction\$2 rotat\$4 roll\$3) near4 (groov\$3) and (car\$1 cage basket carriage) near8 ((support\$3 suspen\$4 hoist\$3 divert\$3 guid\$3 deflect\$3) adj (pulley roll\$3 wheel rotat\$4))).clm.	US-PGPUB	OR	ON	2008/12/17 20:47
L12	0	(elevator and (driv\$3 tracti\$2 machine) adj (pulley sheave wheel friction\$2 roll\$3 rotat\$4) and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3) near4 (member means carrier cable flat belt) and (rib\$4 groov\$3) near6 (wedge\$1 wedge\$7 trapez\$5) and (spac\$3 distance separat\$3 clear\$4) near8 (("%" "20%" percent\$3) and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3))).clm.	US-PGPUB	OR	ON	2008/12/17 20:50
L13	0	((tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3) near4 (member means carrier cable flat belt) and (rib\$4 groov\$3) near6 (wedge\$1 wedge\$7 trapez\$5) and (spac\$3 distance separat\$3 clear\$4) near8 (("%" "20%" percent\$3) and (tens\$6 load\$1carry\$3 load\$1bear\$3 support\$3 load\$1support\$3 lift\$3 hoist\$ elevat\$3))).clm.	US-PGPUB	OR	ON	2008/12/17 20:50

S1	18	((("2221984") or ("6033331") or ("4904232") or ("3,558,390") or ("20010044354") or ("6,138,799") or ("3,068,710") or ("20040262087") or ("6,033,331") or ("4,773,895") or ("5,230,668") or ("5,624,338") or ("5,704,862") or ("6,177,202") or ("6,361,462") or ("6,419,605") or ("4,981,462") or ("4,330,287") or ("3,662,596"))).PN.	US-PGPUB; USPAT	OR	OFF	2007/12/16 01:07
S2	1	WO-2003043922-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:36
S3	0	WO-2000037738-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:36
S4	1	WO-200037738-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:38
S5	0	WO-98029327-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:37
S6	2	WO-9829327-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:39
S7	2	WO-9829326-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 09:39
S8	20	("2470810" "2505216" "2621529" "4701377" "4822324" "5856004").PN. OR ("6033331").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/10 09:53
S9	27	((("6,893,719") or ("6,595,883") or ("5,076,398") or ("5,361,873") or ("5191920") or ("3,174,585") or ("20030121729") or ("2,728,239") or ("3,643,518") or ("6,345,695") or ("5,429,211"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/10 10:34
S10	15	S9 not "18"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 10:36
S11	2332	((187/251,254,266) or (254/265,312) or (156/137,138,139) or (474/252,270)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/13 23:10
S12	2127	S11 and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/13 23:24
S13	210	S12 and ((flatS1 wedg\$3 ribS3 groov\$4) adj (shap\$3 formS3 constructS3) (flatS1 wedg\$3 ribS3 groov\$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:07
S14	2	("6068087").PN. OR ("6488123").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/10 11:03
S15	11	((("20030121729") or ("5435417") or ("5,212,982") or ("5,351,530") or ("20040026117") or ("20040216959"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/10 11:05
S16	700	187/414.ccls. and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:08
S17	8	S16 and ((flatS1 wedg\$3 ribS3 groov\$4) adj (shap\$3 formS3 constructS3) (flatS1 wedg\$3 ribS3 groov\$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:09

S18	15696	(B66B011/\$3.ipc B66B009/\$3.ipc. B66B007/\$3.ipc.) and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:09
S19	521	(S16 S12 S18) and ((flat\$1 wedg\$3 rib\$3 groov\$4) adj (shap\$3 form\$3 construct\$3) (flat\$5 wedg\$3 rib\$3 groov\$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:17
S20	303	S19 not (S1 S2 S4 S6 S7 S8 S10 S13 S14 S15 S17)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:18
S21	3	S20 and ((tens\$6 load\$1 carry\$3 load\$1 bear\$3 load\$1 support \$3) adj (member carrier)) near6 (rib\$4 groov\$3 wedge\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:09
S22	4	S20 and ((tens\$6 load\$1 carry\$3 load\$1 bear\$3 load\$1 support \$3) adj (member carrier)) near6 ((length longitudinal\$2 ax\$1s) and (belt cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:24
S23	6	S22 S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/10 11:24
S24	4	((("4,047,446") or ("5,055,090") or ("5,308,291") or ("5,803,855")).PN.	USPAT	OR	OFF	2007/12/13 20:06
S25	1	WO-2003043926-\$ did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/13 20:07
S26	16	("3564933" "3853017" "3981206" "3996813" "4011766" "4449959" "4551120" "5387160" "5427728" "5645504" "5714024" "5843258" "5858147" "5938552" "6103349").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/13 22:44
S27	20	("2470810" "2505216" "2621529" "4701377" "4822324" "5856004").PN. OR ("6033331").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/13 22:56
S28	5	((("3874158") or ("4120145") or ("3824777") or ("4344278") or ("4606183")).PN.	US-PGPUB; USPAT	OR	OFF	2007/12/13 22:57
S29	5859	((187/251,254,266) or (254/265,312) or (156/137,138,139) or (474/252,270,247) or (428/378,379394,395)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/12/13 23:24
S30	5429	S29 and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/13 23:27
S31	190	S30 and (belt cable rop\$3) with (strand rop\$3 wir\$3) near8 ((fiber filament wir\$3) and ("5"\$1 "6"\$1 "7"\$1 "8"\$1 "9"\$1 "1"\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:11
S32	54	S31 and (steel metal\$3) near2 (fiber filament wir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:24
S33	7	("3736805").URPN.	USPAT	OR	ON	2007/12/14 00:08
S34	58	S30 and (c\$1 ord) with (strand rop\$3 wir\$3) near8 ((fiber filament wir\$3) and ("5"\$1 "6"\$1 "7"\$1 "8"\$1 "9"\$1 "1"\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:16
S35	49	S34 not (S32 S33)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:16

S36	61	S31 and (steel metal\$3) near4 (fiber filament wir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:27
S37	7	S36 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:25
S38	3	S31 and (ferr\$3) near4 (fiber filament wir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:27
S39	2	WO-2005066060-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:33
S40	2	JP-09021084-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/14 00:42
S41	35876	"474".clas. and @pd<"20040107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:07
S42	166	S41 and (c\$1ord strand rop\$3 wir\$3 (tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) adj (member carrier)) near10 ((length longitudinal\$2 ax\$1s) and (rib\$4 groov\$3 wedge\$7) and (belt cable))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:24
S43	116	S42 and (belt cable rop\$3 c\$1ord) with ((area circumference portion each total\$4) and (c\$1ord strand rop\$3 wir\$3 (tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) adj (member carrier)) and (cross\$1section\$2 section\$2 plan\$2 cut\$1away cut\$1out cross\$1cut cross\$1view) and (percent\$3 "%" nearly half less more))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:36
S44	20	S43 and (strand rop\$3 wir\$3 c\$1ord) near8 ((fiber filament wir\$3) and (metal\$3 steel ferr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:37
S45	11	S43 and (belt) near8 ((fiber filament wir\$3) and (metal\$3 steel ferr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S46	8	S43 and (cable) near8 ((fiber filament wir\$3) and (metal\$3 steel ferr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S47	2	S43 and (carrier) near8 ((fiber filament wir\$3) and (metal\$3 steel ferr\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S48	26	S44 S45 S46 S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:38
S49	3	("2526324").URPN.	USPAT	OR	ON	2007/12/16 01:49
S50	89	S43 not (S48 S49)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/12/16 01:49
S51	5	("4710155" "5230668" "5776026" "5792018" "6177202").PN. OR ("6419605").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/16 02:39
S52	2368	((187/251,254,266) or (254/265,312) or (156/137,138,139) or (474/252,270)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/08 13:15

S53	477	(S52 187/414.ccls.) and ((flat\$1 wedg\$3 rib\$3 groov\$4) adj (shap\$3 form\$3 construct\$3) (flat\$1 wedg\$3 rib\$3 groov\$4)) near4 (belt cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:15
S54	26	("1324804" "2471969" "2592581" "2728239" "2894405" "3140620" "3151491" "3404577" "3603296" "3643518" "3951006" "4004466" "4015484" "4028955" "4031761" "4047445").PN. OR ("4781664").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/08 13:28
S55	28	("0027846" "0235018" "1777864" "2067400" "2728239" "3643518" "3987683" "4047446").PN. OR ("4330287").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/08 13:31
S56	17	("2728239" "3138962" "3200180" "3643518" "3951006" "4047446" "4264314" "4330287" "4525158" "4647278" "4773895" "4900295").PN. OR ("4981462").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/08 13:31
S57	17	S52 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) adj (member carrier rop\$3 strand cable wire)) near10 ((rib\$4 groov\$3 wedge\$7) and (spac\$3 distanc\$3 dimension\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:36
S58	47	S52 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (member carrier rop\$3 strand cable wire)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:39
S59	30	S58 not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:39
S60	17	S52 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (longitudinal\$2)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:45
S61	10	S60 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:45
S62	0	187/414.ccls. and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (longitudinal\$2)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 13:47
S63	1850	(474/237,260,261,262,263,265,252,270,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/08 18:43
S64	74	S63 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (member carrier rop\$3 strand cable wire longitudinal\$2)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 18:43
S65	87	S63 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near6 (member carrier rop\$3 strand cable wire longitudinal\$2)) near8 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 18:43
S66	0	11/585563	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 21:37
S67	1	10/585563	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 21:37
S68	0	187/251.clas. and (wedge\$6 flat groov\$3 rib\$4 tooth\$3) near2 (belt cable suspen\$4 hoist\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:41
S69	0	187/266.clas. and (wedge\$6 flat groov\$3 rib\$4 tooth\$3) near2 (belt cable suspen\$4 hoist\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:42

S70	0	187/251,264,266,406,404.clas. and (wedge\$6 flat groov\$3 rib\$4 tooth\$3) near4 (belt cable suspen\$4 hoist\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:42
S71	0	187/251,264,266,406,404.clas. and (wedge\$6 flat groov\$3 rib\$4 tooth\$3) near6 (belt cable suspen\$4 hoist\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:43
S72	0	187/251,264,266,406,404.clas. and (wedge\$6 flat groov\$3 rib\$4 tooth\$3) near4 (belt cable suspen\$4 hoist\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:43
S73	1798	(187/251,264,266,406,404).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/08 22:44
S74	134	S73 and (wedge\$6 flat groov\$3 rib\$4 tooth\$3) near4 (belt cable suspen\$4 hoist\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/09/08 22:44

12/17/2008 10:08:45 PM

C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Lift System - 10585563.wsp

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	257	(57/236).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/18 12:00
L2	1852	(474/237,260,261,262,263,265,252,270,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/12/18 13:28
L3	0	L2 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (chord)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:28
L4	54	L2 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (cord)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:28
L5	10089	(B66B011/\$3.ipc B66B009/\$3.ipc. B66B007/\$3.ipc.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:29
L6	1	5 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (cord)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:29
L7	29	5 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (member carrier rop\$3 strand cable wire longitudinal\$2)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:29
L8	84	4 6 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:30
L9	74	2 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (member carrier rop\$3 strand cable wire longitudinal\$2)) near6 (spac\$3 distanc\$3 dimension\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:44
L10	51	9 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 13:45
L11	9	("1192362" "3545293" "3574022").PN. OR ("4351432").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/18 13:48
L12	42	5 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (cord member carrier rop\$3 strand cable wire longitudinal\$2)) near6 (length mm millimeter inch "in.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 14:22
L13	84	2 and ((tens\$6 load\$1carry\$3 load\$1bear\$3 load\$1support\$3) near4 (cord member carrier rop\$3 strand cable wire longitudinal\$2)) near6 (length mm millimeter inch "in.")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 14:22

L14	79	(12 13) not (8 10 11)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/12/18 14:23
-----	----	-----------------------	---	----	----	---------------------

12/18/2008 2:28:14 PM

C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Lift System - 10585563.wsp